AMENDED

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	APR - 8 1964		
Returned to applicant for correction	MAY 1 3 1964		
Corrected application filed	Jul 1 1964		
Map filed		** i	• • •
Map filed	30F W 1994		
The applicant	Port Holiday Aut	hority	
of 2505 Mason Avenue. Las	.Vegas, County of	Clark	
State of Nevada	, hereby make applic	cation for permission to approp	priate the public
waters of the State of Nevada, as hereinaft	ter stated. (If applicant is a	corporation, give date and pla	ce of incorpora-
tion; if a copartnership or association, give	•	•	County
Nevada		· 	
1. The source of the proposed appropri	iation is City of Las	Vegas. Sewage Treat Name of stream, lake or other source.	ment :
<u> Plant - effluent chanr</u>	nel.	,	,
2. The amount of water applied for is	twenty-five (2	5) ot equals 448.83 gals, per min,	second-feet
(a) If stored in reservoir give number	r of acre-feet		acre-feet
3. The water to be used for mur	nicipal and domes	tic	
4. If use is for:	ttigarion, power, munug,	manufacturing, administry or concress.	
(a) Irrigation (state number of acres	s to be irrigated)	· •	
(b) Stockwater (state number and k	inds of animals to be water	æd)	<u></u>
(c) Other use (describe fully under			
(d) Power:		•	
(1) Horsepower developed	560 h.p.		
(2) Point of return of water to stream	•		
5. The water is to be diverted from its	source at the following poin	$_{\rm it}$: SW 1_4 of the SE 1_4 of	E-Section ,
10. T. 21 S., R. 62 E.	, M.D.B.&M., from	which point the so	outh 1/4
Describe as being within a 40-acre subdivis Section corner of said it should be stated.	ion of public survey, and by course a Section 10 bears	nd distance to a section corner. If on unstable S. 2° 00! W., 25	rveyed land, feet.
6. Place of use S of NW N	Ek of NW4, NW4 of	NE of Section 13	, T. 21 S.,
R. 63 E., M.D.B.&M. De		· ·	w
4			
7. Use will begin about January	and end about _L	ecember 31 , of each	h year.
8. Description of proposed works. (Un	nder the provisions of NRS	535.010 you may be required	to submit plans
and specifications of your diversion within the SW4 of the I It will be withdrawn by State manner in which water is to be diver	NW¼ of Section 13 v pumps and pipel	3, T. 21 S., R. 63 ines for municipal	E., M.D.B.&M and domesti
use. It will flow thre			the power-
house with discharge	into the atmosm b	elow the nowerhouse	

	mage to the control of the control o	Francisco Bours
10.	Estimated time required to construct works 18	months
11.	Remarks The application permits the	construction of recreational
	areas, hotels, and city for use of	in the contract of the contrac
·		$(-1.75)^{-1.5}$, which is the state of $(-1.5)^{-1.5}$ and $(-1.5)^{-1.5}$
		and the second of the second o
App	PORT HOLIDAY AUTHORITY oplicant UTAH CONSTRUCTION & MINING CO. 8/19/64 by Clark Co. Sanitation Dist	.# 1 s/ Dean E. Munter
	mpared hs/ns	Dean E. Munter, Agent
<u> </u>	OF	STATE ENGINEER
:	This is to certify that I have examined the foregoing app	lication, and do hereby grant the same, subject to
folio	lowing limitations and conditions:	
	• • •	;
1 <u>19-</u> 19		
		,
	The second of th	
		
	<u> </u>	
;	· · · · · · · · · · · · · · · · · · ·	
	······································	
		2
The	e amount of water to be appropriated shall be limited to the	amount which can be applied to beneficial use,
The	e amount of water to be appropriated shall be limited to the	e amount which can be applied to beneficial use, a
The not t	e amount of water to be appropriated shall be limited to the	e amount which can be applied to beneficial use, a
The not t	e amount of water to be appropriated shall be limited to the to exceed cubic f	e amount which can be applied to beneficial use, a
The not t	e amount of water to be appropriated shall be limited to the to exceed	e amount which can be applied to beneficial use, a
The not t	e amount of water to be appropriated shall be limited to the to exceed cubic f	amount which can be applied to beneficial use,
The not the Actu	e amount of water to be appropriated shall be limited to the to exceed	eat per second
The not the Actuary Processing Pr	e amount of water to be appropriated shall be limited to the to exceed cubic function work shall begin on or before por of commencement of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of of completion of work shall be filed before por of completion of work shall be filed before por of completion of work shall be filed before por of completion of work shall be filed before por of completion of work shall be filed before	eamount which can be applied to beneficial use, a seet per second.
The not the Actuary Processing Processing App	e amount of water to be appropriated shall be limited to the to exceed	e amount which can be applied to beneficial use, a seet per second
The not to Actuary Processing App	e amount of water to be appropriated shall be limited to the to exceed	eamount which can be applied to beneficial use, a eet per second. pleted on or before
The not to Actuary Processing App	e amount of water to be appropriated shall be limited to the to exceed	eamount which can be applied to beneficial use, a eet per second. pleted on or before
The not to Actual Process App Process Map	e amount of water to be appropriated shall be limited to the to exceed	amount which can be applied to beneficial use, a eet per second. pleted on or before.
The not to	e amount of water to be appropriated shall be limited to the to exceed	amount which can be applied to beneficial use, a eet per second. pleted on or before
The not to	e amount of water to be appropriated shall be limited to the to exceed	eamount which can be applied to beneficial use, a eet per second. pleted on or before
The not to	e amount of water to be appropriated shall be limited to the to exceed	amount which can be applied to beneficial use, a seet per second pleted on or before on or before applied to beneficial use, a seet per second pre on or before of the second pre of the second
The not to	e amount of water to be appropriated shall be limited to the to exceed	pleted on or before